

#572

9005 - 9103


Velvet Finish  
Red Quill  
Writing paper®

**NOTES**

No. 429

Name \_\_\_\_\_

\_\_\_\_\_ Grade



\$5.00 Reward

for return to

Dr. Arthur Cronquist  
New York Botanical Garden  
Bronx Park  
New York 58, N.Y.

0.572

9005 - May 13, 1961 on barren,  
rocky east slope, with scattered  
junipers, at west edge of valley  
leading out of Peter's Canyon,  
13 miles north of Monticello,  
San Juan Co., Utah. Twp. 31 S.,  
R. 23 or 24 E. Elevation about 6000  
feet. Corolla with a yellowish  
throat and lavender limbs.

*Gilia sinuata* Dugl., sens. lat.  
(the *G. inconspicua* phase)

*Gilia affinis*

24

✓

9006 - May 13, 1961  
Same place as ~~805~~, 9005  
Corolla lavender.

*Gilia pumila* Nutt.

*Eriogonum* ① ✓

9007 May 13, 1961  
With scattered junipers on  
rocky east slope, and with  
*Sarcobatus* on the adjacent  
sandy flat; valley leading  
out of Peter's Canyon, 13 miles  
north of Monticello, San Juan  
Co., Utah. Twp 31S, R. 23 or 24E.  
Elevation about 6000 feet.  
Flowers white.

*Phacelia inesiana* Tarr.  
var. *inesiana*

*Phacelia*

(13)

✓

9008 - May 13, 1961 - Juniper  
woodland on west exposure in  
Peter's Canyon, 8 miles north  
of Monticello, San Juan Co., Utah.  
Twp. 32 S., R. 23 E., S. 24. Elevation  
6700 feet. Lower lip and tips of  
the galea dull dark red-purple,  
the rest of the corolla pale,  
almost white.

*Pedicularis centranthera* Gray

*Pedicularis centranthera*

(4)



9009 - May 13, 1961.

Barren clay slopes overlooking  
Cottonwood Wash from the east,  
8 miles southwest of Blanding,  
San Juan Co., Utah. Twp. 37 S.,  
R. 21 E., S 13 or 24. Elevation  
about 5500 feet. Herbage  
glossous; petals purple;  
bracts white.

*Cymopterus bulbosus* a. Nels.

1295

*Cymopterus* ② ✓

9010 - May 14, 1961 Sandy soil  
of sagebrush flats in Comb Wash,  
18 miles southwest of Blanding,  
San Juan Co., Utah. Twp. 37S.,  
R. 20E., S. 25. Elevation 5000 feet.  
Herbage glaucous. Flowers  
bright yellow.

*Corydalis aurea* Willd.  
var. *occidentalis* Engelm.

*Corydalis* (35)



9011 - May 14, 1961 Sandy,  
gravelly flat along wash  
leading out of Arch Canyon,  
where it joins Comb Wash,  
18 miles southwest of Blanding,  
San Juan Co., Utah. Twp. 37 S.,  
R. 20 E., S. 25. Elevation 5000 feet.  
Stems solitary (seldom 2) on a  
perennial taproot. Plants some-  
what meleiotic. Corolla bright  
red, verging toward carmine.

*Gilia subnuda* Torr.

red *Gilia*

35

✓

9012 - May 14, 1961 - same place  
as 9011. Leaves bright green,  
not glaucous; flowers yellow.

*Cymopterus fendleri* Gray

yellow Cymopterus (8) ✓

9015 May 14, 1961 - Same place  
as 9011. Plants frequently  
hirsute. Corolla white  
with a yellow eye. The  
lobes persistently spreading,  
not becoming reflexed.

*Cryptantha bakeri* (Greene) Payson

Anacardiaceae (3)

9014 - May 14, 1961 - Same place  
as 9011.

Stems prostrate,  
forming a mat on the ground.  
Corolla lavender, the heel deeper  
purple toward the tips.

*Astragalus sesquiflorus* Wats.

det. R. C. Barneby

*Astragalus* ①

9015 - May 14, 1961  
 Sandy soil in sagebrush  
 flats at mouth of Arch  
 Creek, where it enters  
 Comb Wash, 18 miles  
 southwest of Blanding,  
 San Juan Co., Utah. Twp 37 S.,  
 R. 20 E., S. 25. Elevation 5000  
 feet. Flowers white.

*Cryptantha crassisepala*  
(T. & G.) Greene

*Cryptantha* (25) ✓

9016 - May 16, 1961 - Sandy  
soil under cottonwoods at  
mouth of Arch Canyon,  
where it enters Comb Wash,  
18 miles southwest of Blanding,  
San Juan Co., Utah. Twp. 37S.,  
R. 20 E., S. 25. Elevation 5000 feet.  
Corolla minute, white.

*Cryptantha recurvata*  
Coville

*Cryptantha* (10) ✓

9017 - May 14, 1961  
Piñon-juniper woodland 21  
miles southwest of Blanding,  
San Juan Co., Utah Twp. 375.,  
R. 20 E., S. 27 or 28. Elevation  
5900 feet. Plants spreading  
extensively below-ground, but  
eventually taprooted. Herbage  
somewhat glaucous. Flowers  
bright lavender-purple.

*Tathysus zionis* C. L. Hitchc.

*Tathysus* 16; ✓

9018 May 15 1961 - Associated with  
a pale, shaly outcrop in a red  
sandstone region, piñon-juniper  
community; White Canyon,  
a little above its junction  
with Foggy Canyon, about 55  
miles west of Blanding and  
30 miles east of Hite, San Juan  
Co., Utah. Twp 36S., R. 16E., about  
S. 14. Elevation about 5600 feet.  
Leaves pale lavender.

j  
*Ericameria argentea* Gray

*Ericameria argentea* (4) ✓

9019 May 15 On soil  
derived from red sandstone,  
and also from a older shaly out-  
crop; piñon-juniper community;  
White Canyon, a little above  
its junction with Fry Canyon,  
about 55 miles west of Blanding,  
and 3 miles east of Hite, San  
Juan Co., Utah. Twp 36 S., R. 16  
E., about S. 14. Elevation about  
5600 feet. Flowers bright  
pink-purple.

*Astragalus amphioxys* Gray  
var. *vespertinus* (Sheld.) Jones

det. R. C. Barneby

*Astragalus vespertinus* (6)

9020 May 15, 1961 - same  
place as 9018.

Flowers white  
Leaf solitary, thick, sub-  
terete, shallowly grooved  
on the upper side.

*Allium nevadense* S. Wats.  
det. Marion Ownbey

*Allium*

③

✓

902 - May 15, 1961 with  
scattered junipers in red  
sandstone area about 70 miles  
west of Blanding and 16 miles  
east of Hite, San Juan Co.,  
Utah. Twp. 35 S, R 15 E. Elevation  
about 4700 feet

Unarmed, branching shrubs or  
subshrubs from a coarse, weedy  
taproot, the persistent, weedy  
part of the stem mostly 1-2 (3)  
cm. tall. Rays pale lavender.

*Machaeranthera tortifolia*  
(T. & G.) Cronq. & Koch  
var. *imberbis* Cronq.

*Machaeranthera tortifolia* (5)

9022 - May 15, 1901. Same place  
as 9021.

Bracts bright red.

*Castilleja chromosa* A. Nels.  
Lugol. det. Marian Crumbey

*Castilleja chromosa* (4) ✓

9023 - May 15, 1961 - Same place  
as 9021. Flowers yellow.  
Stems clustered on a taproot  
and branching caudex.

*Cryptantha flava* (A. Nels.) Payson

yellow Cryptantha (4) ✓

9024 - May 15, 1961 - Same place  
as 9021. Flowers lavender-purple.

*Astragalus sabulosum* Gray  
det. R. C. Barneby

annual *Astragalus* (91) ✓

9025 May 15, 1961 - same  
place as 9021. Flowers dark  
blue-purple, the banner with  
a large central pale spot.

*Lupinus pusillus* Pursh  
var. *rubens* (Rydb.)

annual lupine (2) /

9026 - May 15, 1961 - open,  
elevated flats in Callozygne community  
about 75 miles west of Blanding and  
~10 miles east of Hite, San  
Juan Co., Utah. Twp. 34S., R. 14E.  
Elevation about 4200 feet  
Rays white above, pale pinkish-lav-  
ender beneath.

*Townsendia annua* Beaman

*Townsendia* ⑨ ✓

9027 May 15, 1901 Same  
place as 9026. Branches very  
widely to rather narrowly  
spreading- ascending. Corolla  
white.

polycladon

*Silia polycladon* Torr.

*Silia* spicata (1) ✓

9028 - May 15, 1961. Same  
place as 9026. Heads white.

*Chaenactis steniolepis* H. & A.

*Chaenactis* (1) ✓

9029 - May 15, 19. Same  
place as 9026. Abundant.  
Flowers dark blue-purple.  
Plants mildly mesile...

*Phacelia crenulata* Torr., sens. lat.  
(*P. corrugata* A. Nels.)



1524

*Phacelia* 18 ✓

9030 - May 16, 1961 - with  
T. & G. in. Alcimo and Gabion  
on open sandy slopes and  
elevated flats 10 miles east  
of Hite, San Juan Co., Utah, 7 w.s.  
34 S., R. 14 E. Elevation about 4200 feet  
Flowers bright yellow, open  
in the afternoon, closed in the  
morning. Stems white.

About 75 miles west of Blanding and

Mentzelia prumila (Nutt.) T. + G.

Mentzelia ⑤ 1

9031 - May 16, 1961 Same  
place as 9030. Herbage  
glaucous. Sepals and lower petals  
nearly purplish, the upper  
petals white or nearly so.

*Delphinium scapiferum* Greene

✓

larkspur

(13)

✓

9032 - May 16, 1961

Same place as 9030.

Stems more or less curved - flattened.

Petals lavender, marked at the base with yellow, orange, and dark red.

*Calochortus fuscus* Wats.

✓  
Calochortus ♀ /

9033 - May 16, 1961 open,  
sandy slopes and ridges  
with Coleogyne, Atriplex and  
Acacia, 10 miles east of  
White, San Juan Mts., Utah.  
Twp. 34S., R. 14E. Elevation about 4300 feet  
Herbage glaucous; sepals pale,  
almost ochroleucous; petals  
light yellow.

about 75 miles west of Blanding and

*Caullanthus*

②

9034 - May 16, 1961. Sandy  
overflow-channel of Gray wash  
in Coleogyne- Atriplex - Ephedra  
community,  $\rightarrow$  10 miles east of  
Hite, San Juan Co., Utah. Twp.  
34S., R 14E. Elevation about 4200 feet  
Leaves forming a flat rosette on or  
a little above the ground surface.  
~~Growing with H.~~  
(which is not confined to the wash)  
~~but remaining distinct~~  
about 75 miles west of Blanding and)

*Silix leptomeria* Gray ✓

Silix

17



9035 - May 16, 1961.

Same place as 9033. Flowers  
white, with an inconspicuous  
yellowish eye. Species notable  
in the field for its open inflorescence.

*Cryptantha tenuis* (Eastw.)

Paxson

V

Grecaria (5)

9036 - May 16, 1961. Same place  
as 9033. Flowers white.

*Cryptantha nevadensis* Nels. &  
kennedy

~~water for mist fits!~~

annual ~~epicotyl-like~~ ⑦ ✓

9037 - May 16, 1901. Open,  
 sandy ridges, slopes, and  
 elevated flats, with *Coleogyne*,  
*Artioslex* and *Ephedra*, 10 miles  
 east of Hite, San Juan Co., Utah.  
 Twp. 34 S., R 14 E. Elevation about 4200 feet  
 Leaves green, not glaucous.  
 Flowers yellow. Wings of the  
 fruit wrinkled, becoming  
 white - cartilaginous at maturity  
 (about 75 miles west of Blanding and)

*Cymopterus fendleri* Gray

Cymopterus (12) ✓

9038. May 16, 1961. Crevices in  
sandstone rock near bottom of  
White Canyon, 8 miles east of  
Hite, about 80 miles west of  
Blanding, San Juan Co., Utah.  
Twp. 34 or 35 S., R. 14 E. Elevation  
3700 feet. Flowers lavender.

*Penstemon comarrhenus*

Gray



*Penstemon* ♂ v. ① ✓

9039 - May 16, 1961 Found at  
edg. of dune in White Canyon,  
8 miles east of Hite, about 80  
miles <sup>west</sup> ~~east~~ of Blanding, San Juan  
Co., Utah. Twp. 34 or 35 S., R. 14 E.  
Elevation 3700 feet. Flowers  
white or nearly so.

*Gilia Gunnisonii* T. & G.

*Gilia* sp.

(31)



9040 - May 16, 1961 Same  
place as 9039.  
Petals yellow.

*Eriogonum wetherillii*  
Eastw.

✓  
⑤  
*Eriogonum vimineum* yellow

9041 May 16 30.  
Same place as 9039. Corolla  
minute, white.

*Cryptantha circumscissa*  
(H. & A.) Johnst.  
var. *circumscissa*.

*Cryptantha circumscissa.* ②

9042 - May 16, 1961 On gravel  
bank composed largely of  
water-worn stones, 3 miles  
east of Hite, about 85 miles west  
of Blanding, San Juan Co., Utah.  
Twp. 34S., R. 14E. Elevation  
about 3700 feet. Rays 7-10,  
typically 8, yellow; disk  
dark reddish.

✓  
*Gaillardia pinnatifida* Torn.

*Gaillardia* - (3) ✓

7043 - May 16, 1951 Sandy,  
gravelly slope above the  
Colorado River, 2.5 miles north  
of Hite, about 50 miles south  
of Hanksville, Garfield Co., Utah.  
Top 34 S., R. 13 E., about 5,220.  
Elevation 3500 feet. Flowers  
blue, the banner with a central  
paler spot.

*Lupinus pusillus* Pursh  
var. *muhens* (Rydb.)

*Lupinus* (22) ✓

9044. May 16, 1961. L.  
rocky slopes overlooking  
Colorado River about 3 miles  
northeast of Hite, Garfield Co.,  
Utah. Twp 34 S., R. 13 E. Elevation  
about 3600 feet. Heads yellow.  
Rays about 13-21.

*Dyssodia pentachaeta* (DC.)  
Rob.

✓

Dyssodia (5) ✓

9045 - May 16, 1961 Rocky  
slopes and alkaline, sandy  
flats near the Colorado River  
about 4 miles northeast of Hite,  
about 50 miles south of Hanksville,  
Garfield Co., Utah.  
Twp. 34 S., R. 13 E. Elevation  
about 3600 feet. Flowers  
6-merous; corolla white.

*Cressa truxillensis* HBK.

166

in the journal? (2) ✓

9046 - May 17, 1961 - sp.

Gravelly slopes along Colorado River about 4 miles west of Hite, about 50 miles south of Hanksville, Garfield Co., Utah.  
Twp. 34 S., R. 13 E. Elevation about 3600 feet. Much branched, thorny shrubs 3-6 m. tall. Flowers at first bright dark purple, fading to pale lavender with increasing age.

*Dalea thompsoniae* (Vail)

L. O. Wms.

Aug 17, 1861

Open, sandy, gravelly places,  
with atriplex, along the Colorado  
River about 4 miles northeast  
of Hite, Garfield Co., Utah.

Twp. 34 S., R. 13 E. Elevation  
about 3500 feet. Heads yellow.  
Receptacle long-setose.  
Achenes 2.5-3 mm. long, 2 to 4  
of the pappus bristles shorter  
than the others and persistent.

*Malacothrix glabrata* Gray

✓

✓

(13)

9048 - May 7, 1961 - Same  
place as 9047. Herbage  
glauous; heads yellow. Recep-  
tacle long-setose. Achenes 2.2-2.5  
mm. long, the pappus wholly  
deciduous.

*Malacothrix sonchoides* (Nutt.)

T & G.

*Malacothrix* (B) ✓

9:49 - May 17, 1961. - open,  
granitic slopes overlooking  
the Colorado River about 4  
miles northeast of Hite,  
about 50 miles south of  
Hanksville, Garfield Co., Utah.  
Twp. 34 S., R. 13 E. Elevation  
about 3600 feet. Petals small,  
yellow. Leaves a peculiar shade  
of bright gray-green, peppered  
with small, darker green spots.

*Oenothera walkeri* (A. Nels.)

Raven

ssp. *walkeri*

dsp. det. Peter H. Raven

Oenothera (13)

9050 f. Aug 17, 1961 - Same place  
as 9049. Corolla lavender.

*Lyyodesmia exigua* Gray

Lygod. exigua (3) 22. ✓

9051 - May 17, 1961

Same place as 9049.

Carolla lavender. Seeds not becoming mucilaginous when wetted.

*Gilia hutchinsifolia* Rydb.

*Gilia aff. sericea* (3) /

1052 - May 17, 1961 - same  
place as 9049.

Plants now mostly post-mature

*Stylocline microspoides* Gray

Pitcairnia (3)

9053 - May 17, 1941  
Same place as 9149.

*Cryptantha pterocarya* (Torr.)  
Greene  
var. *cycloptera* (Greene)  
Marsb.

*Cryptantha* (3) ✓✓

905 - 41.11.17. 1921 - Sandy flats,  
with *Atriplex* and *Sarcobatus*,  
along the Colorado River  
about 4 miles northwest of Hite,  
about 50 miles south of Hanksville,  
Garfield Co., Utah.  
Twp. 34S, R. 13E. Elevation  
about 3500 feet.

*Distichlis strigata* (Torn.) Rydb.

*Distichlis* (4) ✓

9055 - 7917. - Very  
sandy, almost bare soil  
along North Wash, 16 miles  
north of Hite and 35 miles  
south of Hanksville, Garfield  
Co., Utah. Twp. 32 S., R. 13 E.  
Elevation 4200 feet. Freely  
branched shrubs 3-10 dm.  
tall, pleasantly aromatic.  
Corolla pale blue-lavender

*Pisionia incana* (Torr.)  
Gray

✓

*Pisionia incana*  
short by next (34) ✓ new

9056 - May 17, 1951 Very sandy  
slopes along dry wash  
22 miles north of Hite and  
31 miles south of Hanksville,  
about 1 mile along the  
road below the top of the mesa,  
Garfield Co., Utah. Twp. 32S.,  
R. 12 E., S. 14. Elevation 4600  
feet. Stems numerous on  
a stout taproot and much  
branched caudex. Heads yellow,  
with mostly 12-18 rays.

*Wyethia scabra* Hook.

7 ✓  
*Wyethia scabra* 12 - 0 -

735 2 May 1912 same  
place as 9056. Stems  
numerous on a taproot and  
much branched caudex.  
Juice milky. Corolla lavender  
blue-lavender.

*Amsonia tomentosa* Torr. & Frem.

apoc ⑨ Amsonia ✓

2050 - May 20, 1961

Sandy soil in open piñon-juniper  
forest 7 miles west of  
Duchesne, Duchesne Co., Utah.  
Elevation about 5800 feet.

"zolla blue-purple"

*Pentstemon dolius* Jones

small Pentstemon (10)

9059 - May 28, 1961

Same place as 9058.

Height of 10 cm. Corolla  
medium blue, with a  
whitish ring at the throat

*Penstemon pachyphyllus* Gray:

large Penstemon ✓✓

9060 - May 20, 1961  
Same place as 9058.  
*Gilia* white.

*Gilia congesta* Hook.  
var. *congesta*

*Gilia congesta* ① ✓

9061 - May 20, 1958  
From just S. of 1158. Corolla  
bright pink-purple, the  
inner, with some whitish  
lines near the middle.

*Astragalus detritalis* Jones

det R. C. Barneby

Astragalus (4) ✓

9062 - May 20, 1951  
Same place as 9058. Heads white,  
turning pinkish or  
brownish-pink in age.

*Chamaeaenactis scaposa* (Easter)  
var. *pama* Preece & Turner

Rydb.

*Chamaeaenactis* ♀, ✓

9063 - May 20, 1961  
Same place as 9053. Heads  
yellow; rays 12-16.

*Hymenodrys acutifolia* (Pursh) Parker  
var. *caespitosa* (A. Nels.) Parker

*Maypop* sp. 4, 1

9064 - May 23, 1961 Thin pockets of  
this on sheltered sandstone rocks  
in open piñon-juniper woodland  
16 miles northwest of Moab,  
Grand Co., Utah. Twp. 25S, R. 20E.,  
S. 8. Elevation 4900 feet.

Stems clustered and taproot and  
branched caudex. Corolla white  
with a conspicuous yellow eye,  
the nerves prominent, erect,  
the lobes more or less reflexed.

*Cryptantha fulvoranscens*  
(Gray) Payson.

Arizona

⑤

✓

9065 - May 22, 1961 Same  
place as 9064. Leaves very  
pungent, especially the  
persistent ones from last year.  
Petals tipped with dull red-purple  
above a light yellowish base.  
Plants forming cushion mats.

*Armenia eastwoodiae* Rydb.  
var. *adenophora* Kearney &  
Peebles

Armenia (4)

Artemisia (4) ✓

9066 - May 22, 1961 On  
flat-lying sandstone rocks in  
open piñon-juniper woodland  
16 miles northwest of Moab, Grand  
Co., Utah. Twp. 25 S., R. 20 E.,  
S. 8. Elevation 4900 feet.  
Shrub 1-2 m. tall.

*Frasera anomala* Torr.

*Frasera anomala*

(6) ✓

9067 - May 22, 1961

Partly stabilized dunes in  
piñon-juniper area 16 miles  
northwest of Moab, Grand  
Co., Utah. Twp 25S., R. 20E.,  
S. 8. Elevation 5100 feet.  
Rays dark pinkish outside,  
pale inside.

*Townsendia incana* Smith

*T. arvensis*

(3)

✓

Oil, May 22, 1961 - same place  
as 9067. *Cordia schiediana* or  
painted lavender. Pads inflated,  
red-brown with ochreous  
markings.

*Astragalus ceramicus* Sheld.

det. R. C. Barneby.

*Staco longistylis* ① ✓

9069. May 22, 1961 Sanders  
at 11,000' Coleogyne community  
33 miles (by circuitous road) west  
of Moab, Grand Co., Utah.  
Twp. 26 S., R. 18 E. Elevation  
about 5200 feet. Stems clustered  
on the subterranean crown of a  
tapered. Sepals pale greenish;  
petals pale yellow or pale  
greenish-yellow.

*Asclepias macrosperrma* Eastw.

*Asclepias* (4) ✓

9070 - May 22, 1961 - Sandy soil  
in open piñon-juniper community  
along the ridge between the Colorado  
River and the Green River,  $4\frac{1}{2}$  miles  
southwest of The Neck, and  
about 40 miles by circuitous road  
west of Moab, San Juan Co.,  
Utah. Twp. 28 S., R 19 E.

Elevation 5900 feet. Stems loosely  
clustered and taproot and  
branching caudex, forming large  
clumps. Not mat creeping below  
ground. Flowers blue, bluish  
purple tipped, the upper with  
a darker blue spot.

*Lupinus argenteus* Pursh,  
sens. lat.

Lupini

13 ✓

9071 - May 32, 1951 Sandy  
soil along ridge between  
the Colorado River and the Green  
River,  $2\frac{1}{2}$  miles southwest of  
The Neck, and about 38 miles  
by circuitous road west of  
Moab, San Juan Co., Utah.

Twp 27 S., R. 19 E. Elevation 5900  
feet. Leaves green, not glaucous.  
Flowers yellow.

*Cymopterus newberryi* (Wats.)  
Jones

Cymopterus 2

9072. May 23, 1961. Barren,  
rocky clay slopes derived mainly  
from the Laramie formation  
(a pale green, siliceous shale),  
across Courthouse Wash from  
Lower Courthouse Spring, 16 miles  
northwest of Hanksville, Grand  
Co., Utah. Twp. 24S., R. 20E.,  
S. 16. Elevation 4500 feet.  
Not in the most extreme habitats.  
Stems clustered and tapering and  
branched sparingly. Heads yellow;  
rays mostly 10-15, typically 13.

*Bahia nudicaulis* Gray

*Bahia nudicaulis* (35) ✓

9673 - May 23, 1961

Landy battams out. *Polioninta*  
*tridentata*, along Coal House  
Wash at Lower Courthouse Spring,  
16 miles northwest of Moab,  
Grand Co., Utah. Twp. 24S,  
R. 20 E., S. 16. Elevation 4450 feet.  
Shrub 3-8 dm. tall, aromatic.  
Corolla very pale blue lavender.

*Polioninta incana* (Torn.) Gray

P. C. Gilman

Polemonium (5) ✓

9074 May 23, 1961 with  
*Asterina tridentata* and  
*Sarcobatus vermiculatus* in  
sandy bottoms along Court-  
house Wash at Lower Courthouse  
Spring, 16 miles northwest of Moab,  
Grand Co., Utah. Twp. 14 S.,  
R. 20 E., S. 16. Elevation 4450 feet.  
Leaves bright green, forming a  
flat rosette at or a little above  
the surface of the ground.  
Corolla limb small, white,  
the throat pale yellowish.

*Gilia leptomeria* Gray

Gilia

(24) ✓

9675 - May 23, 1961  
With *Artemisia tridentata*  
in sandy bottoms along  
Courthouse Wash at Lower  
Courthouse Spring, 16 miles  
northwest of Moab, Grand  
Co., Utah. Twp 24S, R. 20E., S. 16.  
Elevation 4450 feet.

Corolla light pink-lavender.

*Nama densum* Lemmon  
var. *parviflorum* (Greene.)

C. L. Hitchc.

name (4) ✓  
9676 - May 23, 1961. Same  
place as 9275. Corolla white.

*Phacelia ivesiana* Toss.  
var. *ivesiana*

1915

*Phacelia* ? ✓

9077 May 24, 1961

Loamy soil along ridge overlooking  
Goblin Valley from the west, 50  
miles southwest of Green River,  
Emery Co., Utah. Twp. 26 S.,  
R. 11 E., about S. 10. Elevation  
5000 feet. Plants smelling  
mildly of selenium. Stems  
clustered and taproot and  
branched caudex. Flowers bright  
purple, the wings white-tipped.  
Pods flattened, wholly 1-celled,  
erect or nearly so.

*Astragalus woodruffii* Jones  
ident. R. C. Barneby

*Astragalus* - subsp. (35) .  
9078 - May 24, 1961 - Same  
place as 9077. Plants varying  
from taprooted, with loosely  
clustered stems, to single-  
- stemmed from a creeping root,  
usually somewhat intermediate  
between the two types. Stems  
ascending. Flowers lavender.  
Pods flattened, wholly 1-celled,  
irregularly and rather stiffly  
spreading-descending.

*Astragalus episcopus* Wats.

det. R. C. Barneby

*Astragalus* (35) ✓

9079 - May 24, 1961,  
Same place as 9077.  
Sepals pale greenish;  
petals light yellow

*Asclepias macrosperma* Custer.

*Asclepias* ②

V

9080 - May 24, 1961.

Same place as 9077, only a  
few scattered plants seen.

Petalanth white or faintly anthocyanic  
Leaves thick, elliptic in  
Section, not channelled.

*Callisia macropetala* Rydb.  
Dugd. det. Marion Arnulley

Allium (6)

✓

9031 May 24, 1961 Sandy  
Flats a mile northwest of  
Cotton Valley, about 50 miles  
southwest of Green River,  
Emery Co., Utah. Twp. 26 S., R.  
11 E., S. 3 or 10. Elevation  
about 5000 feet. Plants smelling  
of selenium. Flowers  
lavender + pink

*Astragalus flavus* Nutt.  
var. *argillaceus* (Jones) Barnaby  
inv.

det. R. C. Barneby

Wild Petunias (35)

9082 - May 24, 1961

Sandy elevated flatsa hill,  
northwest of Goblin Valley, 50  
miles southwest of Green River;  
Emery Co., Utah. Twp. 26S., R. 11E.,  
about 10. Elevation 5000 ft.

Petals white, turning pink in  
midday

*Oenothera albicans* Pursh

Oenothera

(5)

✓

9083 - May 24, 1961. Same  
place as 9082. Corolla white

*Phacelia inesiana* Torn.  
var. *inesiana*

Phacelia (B) ✓

9084 May 24, 1961. Same  
place as 9083. Flowers blue,  
the banner with a large  
white spot.

*Lupinus pusillus* Pursh  
var. *pusillus*

Luzerne

(4) ✓

9085 - May 24, 1961

Same place as 9082.

Petiole white,

Eremocoma alismoides  
(L.) Jones.

Hoyda ⑦ ✓

9086 - May 24, 1961  
Sandy slopes near Yo! Min. Co.,  
50 miles south of Green River,  
Eureka Co., Utah. Twp. 26 S.,  
R. 11 E., about S. 10. Elevation  
5000 feet. Flowers yellow.

*Cryptantha flava* (A. Nels.)  
Paxs.

Yellow Cryptantha (6) ✓

9087 - May 25, 1961 Shift-  
ing sand-hills near Hobbit  
Valley, 50 miles southwest of  
Hobbit River, Emery Co., Utah.  
Trap. 2000', R. 11 E., about S. 10.  
Elevation 5000 feet. Shrubs  
partly buried in the sand,  
extending 2-5 dm. above the  
surface. Corolla lavender,  
finely purple dotted at  
the base of the lower lip.  
Plants aromatic.

*Polionemtha incana* (Torn.) Gray

*Polionemtha* (10) ✓

9088 - May 25 1961  
Barren sandy clay slopes near  
Hobble Creek Valley, 50 miles  
southwest of Green River,  
Emery Co., Utah. Twp. 7 - R.  
11 E., about S. 10. Elevation 5000  
feet. Petals yellow, finely  
red-dotted below; middle  
leaves bright green, forming a  
basal rosette.

*Oenothera eastwoodiae*  
(Munz) Raven

Abund - 16: ✓

9589 - May 25, 1901.

Sandy slopes near Goblin  
Valley, 50 miles southwest  
of Green River, Emery Co., Utah.  
Twp. 26 S., R. 11 E., about 5.10  
Elevation 5000 feet. Plants  
spreading by creeping roots.  
Perianth white.

*Abronia pumila* Rydb. (sensu  
Standley)

abronia ⑨ ✓

9090 - May 25, 1961

So., sandy flats, on slopes  
near Coalville Valley, 10 miles  
southwest of Green River,  
Emery Co., Utah. Twp. 26 S., R. 11 E.  
S. 3 or 10. Elevation 5000 feet.  
Leaves bright green, not glaucous.  
Flowers yellow. Wings of the  
fruit slightly to strongly  
converged, the margins  
becoming white - cartilaginous  
at maturity.

*Cymopterus fendleri* Gray

Cymopterus (10)

✓

901 Aug 25, 1961

Open sandy shale slope, north  
-east exposure, on the south  
slope of the San Rafael Swell,  
29 miles north of Hanksville,  
Emery Co., Utah. Twp. 25 S., R. 11 E.,  
Elevation 5600 feet. Plants  
forming little, rounded cushions.  
Corolla white to pinkish.

*Ericogonium bicolor* Jones

*Ericogonium* 11 ✓

9092. May 23, 1961. Open,  
shaly washes, with scattered  
junipers, on the San Rafael swell,  
2 miles north of Hanksville,  
Emery Co., Utah. Twp. 25S,  
R. 12E, S. 37. Elevation 5800 feet.

*Astragalus musiniensis* Jones

det. R. C. Barneby

*Astragalus* ( )

✓

9073 - May 25, 1961

In open piñon-juniper  
woodland on rocky sandstone  
ridges on the San Rafael  
Plateau, 34 miles north of  
Hanksville, Emery Co., Utah.  
Twp. 24S, R 11E., about S. 19.  
Elevation 6500 feet. Herbage  
glaucous. F. flowers bright  
blue-lavender.

*Penstemon pachyphyllus* Gray,  
sens. lat.

Penstemon

⑥



9094 May 25, 1961 - Rather  
sandy soil on open rocky slopes and  
ridge tops with San Rafael  
Scencl, about 50 miles  
north of Hanksville, Emery  
Co., Utah. Twp. 235, R. 11 E.,  
S. 5. Elevation 6700 feet.  
Bracts scarlet

*Castilleja scabrida* Eastw.  
Lapl. det. Moran Amulay

Castilleja (9) 1

9095 - May 25, 1961.

Lampracis 9095. Heads  
yellow. L. app 8-15, mostly  
8 or 13.

*Hymenoxys acutiloba* (Pursh) Parker  
var. *arizonica* (Gleason) Parker

Haplopappus. 8 m. ray ⑦ /

1096 - May 25, 1961 - Barren  
shaly slopes, with scattered  
pinyons and junipers, near  
Cedar Mountain, about 39 miles  
west of Green River along  
the road to Castle Dale  
(the Spanish Trail), Emery Co.,  
Utah. Twp. 19S, R 12E.  
Corolla white with an inconspic-  
uous yellow eye, the lobes not  
becoming reflexed.

*Cryptantha echinoides* (Jones) Pays.

Cryptantha (13) ✓

9097 May 25, 1961

Same place as 9096

Herbage glaucous. Sepals  
pale greenish; petals  
bright purple.



Asclepias curassavica

Asclepias curassavica ① ✓

9098 - May 25, 1961 - open,  
rather sandy, gentle slopes,  
with scattered bunch-grass and  
a few junipers, near Cedar Mts.,  
about 39 miles west of Green  
River, along the road to  
Castle Dale, Emery Co., Utah.  
Twp. 19 S., R. 12 E. Sepals purple;  
petals pale.

Asclepias cryptoceras Wats.  
var. cryptoceras

Asclepias orthiae Maguire

sp. nov. - sp. n.

Asclepias (1)



9099 - May 25, 1961. Steep  
east face of conglomerate reef,  
about 27 miles west of Green  
River, along the road to  
Castle Dale (the Spanish  
Trail), Sanpete Co., Utah.  
Twp. 19S., R. 13E., Plants  
aromatic. Heads yellow.

Pinyon-juniper zone

Bahia ourceolata Blake

Bahia 5)

✓

9100 - May 25, 1961 - Rocky sail on  
steep east slope of conglomerate  
reef, about 27 miles west of  
Green River, along the road  
to Castle Dale (the Spanish  
Trail), Emery Co., Utah.  
Twp. 19 S. R. 13 E. Perianth  
light yellow.

(Pinon - Juniper zone)

*Eriogonum glandulosum* Nutt.

annual *Eriogonum* B)

9101 - May 25, 1961 - Same place  
as 9100

*Plantago patagonica* Jacq.

✓

*Plantago patagonica* (6) ✓

102. May 25, 1961. Gravelly  
side of base of single mtn. reef,  
about 2.7 miles west of Green  
River, along the road to  
Castle Dale (the Spanish Trail)  
Sanpete Co., Utah. Twp. 19 S.,  
R. 13 E. in Flaxenwood  
Pineon-juniper zone.

*Astragalus flavus* Nutt.  
var. *argillaceus* (Jones) Barnaby  
ined

det. R. C. Barnaby

*Astragalus* 3. " . . . 1

9103 May 25, 1961 - Rock  
interventions on western back  
slope of sandstone conglomerate mtn.,  
about 27 miles west of Green  
River, along the road to  
Castle Dale (Chrysanth. rail.),  
Emery Co., Utah. Twp. 195,  
R. 13 E. Corolla white.  
(Pinon-juniper zone)

*Gilia congesta* Hook.  
sens. lat.

*Gilia congesta*

*Eriogonum* (?)  $\frac{1}{2}$  ft. D

"monodys"

"white"

114 at P. nullum

115 at P. nullum

473 10 mm +

672 2 + ~~specimens~~

375 10 mm +

376 at Fracture

4000 at Dunes

116 2 + got

pea-peas

677 1 year old 25

761 2 year old 23

760 1 year old 73

772 1 1/2 year old 0

pea-peas

716 1 year old

706 at Dunes

717 2 year old 1/2 year got

725 8 at Dead Horse pit.

736 at Dunes

752 1 at Coonhouse spr.

~~over~~  
83.9 at Highway 90

336.45 at Coblenz jet

845.4 at Collins

52.7 at jet

55.8 at Euonymus

56.8 at Astragalus

60.4 at Pustulan

67.3 at jet here 36 m. n. of Hawkesville

68.0 headed east at <sup>10E</sup>

$$\rightarrow \begin{array}{r} 33 \\ 4 \end{array} \begin{array}{r} 34 \\ 3 \end{array} \quad \begin{array}{l} 23.5 \\ 24.5 \end{array}$$

73.85 at Eriogonum compositus

73.0 at Castilleja etc.

91.3.0 at jet

922.65 at Asclepias

35.2 at Silene vulgaris

41.9 at ~~le~~ flagmata

63.3 at Green River

64.6  
63.3

24

1

- 764.45 at Anch Canyon  
767.5.5 at Pathynes  
746.0 at Eriogon-shaly  
748.7 at Frey Canyon ele. 5445  
760.3 at McLean and here. sandstone  
766.75 at Phacelia  
769.2 at sandstone  
774.3 at Gallardia  
777.6 at Farry  
81.5 again at Farry  
84.05 at Lepidium  
85.2 at Dipsosaria  
98.2 at Mint. about 3.10 km. sandy  
99.4 at 3 forks  
804.7 at Wyethia  
805.7 on top of Mesa  
836.1 at Harkness Cr

10